

Provisional General Equipment

GENERAL SPECIFICATIONS

• L.O.A	17,20 m	56'5"
Hull length	16,80 m	55'1"
• L.W.L.	15,93 m	52'3"
• Beam	4,97 m	16'4"
 Deep draught (min) 	2,35 m	7'9"
 Deep ballast weight 	4 800 kg	10,579 lbs
 Shallow draught (min) 	1,90 m	6'3"
 Shallow ballast weight 	5 400 kg	11,902 lbs
 Air draught (max) 	23,91 m	78'5"
 Light displacement (EC) 	18 560 kg	40,91 lbs
 Fuel capacity (max) 	830 I	219 US Gal
 Freshwater capacity (max) 	970 I	256 US Gal
Engine power	POD 120	POD 120

ARCHITECT / DESIGNERS _____

• Naval Architect : Berret Racoupeau Yacht Design

• Interior design : Nauta Design


STANDARD SAIL LAYOUT AND AREA

Mainsail (classic)	74 m²	796 sq ft
• Genoa (105 %)	81 m²	872 sq ft
Asymmetric spinnaker	208,3 m ²	2,242 sq ft





3 cabins - 3 wash rooms







Provisional General Equipment

STANDARD EQUIPMENT

CONSTRUCTION

- Design made following European Directive requirements and according to EC certification
- · Monolithic hull design in polyester
- Monolithic structural counter moulding laminated and bonded to the hull
- Deck in balsa and glass fibre sandwich covered in «diamond point» type non-slip surface
- Deck hull join borded and screwed, with 1 solid wood toerail
- · Cast iron keel fixed with bolts and stainless steel backing plates
- Twin underhung rudders with stainless steel stock
- · White coloured hull Grey metallic livery

DECK EQUIPMENT

RIGGING

- Standard mast SELDEN 9/10 electro-polished aluminium installed on the deck, 2 levels of advanced cross trees - MDS roller slides
- · Anodised aluminium boom
- · Discontinuous stainless steel standing rigging
- · Backstay: Briddle
- · Rigid kicking strap with tackle
- · Genoa furling system with drum on the deck
- 2 Blocks "STANDUP" on mainsheet arch
- 2 genoa tracks with piston adjusted traveller cars 2 Genoa sheet return blocks
- · Rigging run back to cockpit (except boom topping lift)
- Complete running rigging: Main halyard, genoa halyard with clutch on mast and cleat, Boom topping lift with cleat on mast, Mainsheet, 2 Genoa sheets 2 fast reefing ropes, 1 manual reef
- 12 Jammers, and other control lines
- 2 rope boxes

WINCHES

- 2 Self-tailing genoa sheet winches (H60.2 STC)
- 2 Self tailing coachroof winches (H46.2 STC)
- 2 Winch handles SpeedGrip
- · 2 Winch handle boxes

SAILS

- · Furling genoa with UV protective strip
- · Full batten dacron mainsail
- · Lazy Jack and Lazy Bag in Natural colour

MOORING - ANCHORING

- · Self-draining chain locker
- Stainless steel bow fitting 2 rollers Bobstay Stainless steel
- 12 V 1500 W Vertical electrical windlass Remote control
- 8 Stainless steel mooring cleats Stainless steel deck line protection

SAIL LOCKER

- Access through deck hatch
- Stainless steel ladder
- · Hatch giving access to chain locker

SAFETY ON DECK

- 1 Open stainless steel forward pulpit
- · 2 fixed stainless steel pushpits
- · Stainless steel backrests fitted to helm seats
- 1 Ring lifebuoy bracket
- 1 Outboard engine bracket
- Double guardrail and stainless steel stanchions Opening to port and to starboard in guardrail
- 2 Stainless steel handrails on deck
- 2 Stainless steel handrails on fixed arch

COCKPIT

- · Self-draining cockpit
- 1 Port cockpit locker (Access to technical space)
- 1 Starboard cockpit locker (Access to technical space)
- · Gas locker beneath starboard cockpit seat
- · Natural solid wood slatted cockpit benches
- 1 Liferaft locker in cockpit sole
- 2 Steering wheel consoles: Stainless steel steering wheels -900 mm / 2'11" diameter - leather covered - Stainless steel handrail - navigation instrument stand (optional instruments) -Glass holder - 2 Steering compass on binaccle
- · 2 Deck holes for access to tiller system
- · Backrests to helm Chine Grey
- 1 Tiller
- · Engine throttle and control panel to starboard
- Wooden cockpit table with leaf to starboard which can be transformed into sun-bathing area
- 1 Fixed composite arch
- 2 waterproof loudspeakers on fixed arch
- · Cockpit lighting integrated in fixed arch
- 1 Glazed companionway hatch slides under the deck
- 1 Glazed companionway hatch drops into cockpit sole manually operated
- 2 Fixed deck windows

AFT TRANSOM

- · Retractable transom to cockpit
- 2 swivel helmsman's seats
- · Natural solid wood decking on sun deck
- 1 Stainless steel swimming ladder solid wood steps folds into locker
- 1 Hot and cold cockpit shower
- 1 Shore power socket
- 2 wet lockers on skirt
- · Transom protector for raising the tender

INTERIOR

- Fruitwood Apli joinery or Alpi Fruitwood / lacquered white
- · Light oak laminate floors
- Fore hull and bulkhead covered with vinyl fabric ceiling
- Fabric upholstery in the saloon
- Marine mattresses in the cabins

COMPANIONWAY

- Wooden companionway with cold-moulded 3 steps
- 2 Leather covered stainless steel handrails



Provisional General Equipment

PORT SALOON

- · U shaped saloon bench
- Saloon table in only 1 piece, Varnished wood top with inlay, Aluminium legs.
- 1 central unit with folding bench seat Storage space Bar
- Cubby hole lockers and storage along the hull, Storage under bench seats
- 1 Hull porthole with curtain
- 1 Fixed deck house side window with concertina blind
- 1 Fixed wrap-around window to cockpit + Blind
- 1 flush deck hatche with blind / Mosquito net

CHART TABLE

- Control console with flap glove boxes Storage Moulded wood beading
- Navigator's seat with (15°) tilting cushion to compensate for heel
- · Electrics panel
- Navigation instrument panel (without instruments)
- Radio CD player / Stereo MP3 2 Loud speakers
- · Battery switch panel + Breaker panel

GALLEY TO STARBOARD

- · Lengthways kitchen
- · Synthetic resin worktop Grey
- 1 Sink with 2 rectangular bowls, in Grey synthetic resin
- 1 Mixer tap cold water / hot
- 1 Gas cooker 2 hobs, Stainless steel oven on mountings
- 1 Fridge 200 I, ice-cube tray front and top-opening
- 1 Cool box 100 I top opening
- Cupboards Drawers equipped lockers
- 1 Hull porthole with curtain
- 1 Fixed deck house side window with concertina blind
- 1 Fixed wrap-around window to cockpit + Blinds
- 1 flush deck hatche with blind / Mosquito net

FORWARD CABIN

- Central double bed Slatted bed base
- · Wardrobe, Cupboard, Shoe cabinet
- · Dressing table with removable seat
- Mirrors
- · 2 Hull portholes with curtain
- 2 Opening deck hatches with blind / mosquito nets

FORE WASHROOM

Separate shower to port

- · Private access via glazed door
- Mirror Cupboard
- · shower mixer tap hot / cold water
- 1 flush deck hatche with blind / Mosquito net

Separate WC to starboard

- · Manual marine toilet
- Washbasin Synthetic resin worktop Mixing tap hot water / cold water
- Mirror
- Toilet accessories
- · Cupboard Cubby hole locker
- 1 flush deck hatche with blind / Mosquito net

CABINS PORT AND STARBOARD

2 Cabins each with:

- · Sliding entrance door
- · Double bed Slatted bed base
- Hanging locker Cubby hole lockers Drawers
- Mirror
- 1 Hull porthole with curtain
- · 1 Opening deck hatch with shutter / Mosquito net

HEAD COMPARTMENT PORT AND STARBOARD

2 Each washroom containing:

- · Private entrance through cabin
- · Separate moulded shower, shower mixer tap hot / cold water
- Manual marine toilet
- 1 Rigid holding tank 80L / 21 US Gal (To port)
- Washbasin Synthetic resin worktop Mixing tap hot water / cold water
- Mirror
- Toilet accessories
- · Cupboard and cubby hole
- 1 Opening deck hatch with shutter / Mosquito net



Provisional General Equipment

ENGINE

- Diesel Engine Yanmar Dock & Go POD 120
- Engine control Key ignition Control panel in cockpit
- Engine compartment: Foam soundproofing Ventilation: 1 air intake and 1 pressured air outlet
- 1 Alternator 12 V / 80 Ah
- 1 Rotation moulded diesel tank (415 I / 110 US Gal in the saloon) Electronic gauge Low level alarm 1 Deck filler
- Filters: Sea water Diesel Decanter
- · Fixed three blade propeller
- Engine access via companionway and machinery space (opening with gas piston)

ELECTRICITY_

- 12 V circuit 220 V circuit
- 2 service batteries (2x140 Ah) 1 Engine battery (110 Ah)
- 1 40 Ah Battery charger 1 220V shore power 1 Charge divider.
- Electrical panel (12 V / 220 V) (Circuit breakers Voltmeter -Water gauge - Fuel gauge - Battery warning - Fuel warning)
- Standard equipment: Sockets 220V
- Interior lighting: Halogen ceiling lights, Reading lights, White/ red light fitting
- Outside lighting: 1 Forward and aft navigation lights 1 Engine navigation light / Crosstree light forward of mast - 1 Mooring light on masthead - 1 Deck light
- · Wire runs for options cables

PLUMBING

- 3 Roto moulded freshwater tanks (3 x 200 I / 3 x 53 US Gal Saloon) - Separate fillers - Tank selection with ¼ by-pass valves
- Pressurised electric water pump Accumulator tank Inline filter
- 40 L / 11 US Gal Electric water heater (Operation off engine or on 220 V electrical system)
- 1 80 L / 21 US Gal rigid black water holding tank in port head compartment
- Electrical shower drain pumps
- 2 Electric bilge pumps 1 Manual bilge pump
- 1 Electric ice box drain pump

GAS

 Gas bottle boxe in the cockpit (1 or 2 bottles, according to model)

Code Beneteau 10152 (A) Eng

· Pressure reducing valve and safety tap



Provisional General Equipment

TRIM LEVEL

	INSPIRATION	SENSATION
Electronic - 2 Displays (colors) TFT ST70 RAYMARINE (Loch, Speedometer, Depth sounder, Windvane anemometer)	•	-
Cockpit sole natural solid wood	•	•
Galley: 12 V Freezer compartment in 100 L Top-opening icebox	•	•
4 Opening ports in galley and saloon windows	•	•
2 service batteries (2 x 140 Amperes x 12 V) + 40 amperes Additional battery charger	•	•
LED: Outside and inside lighting (except deck light)	•	•
Indirect LED lighting under high cupboards	•	
Shore freshwater supply	•	•
Galley: Freshwater purifier	•	•
1 Port electric coachroof winch H50.2 STECH / H46.2 STECH	•	
Multimedia system: Radio CD/DVD PIONEER - Speakers BOSE ACOUSTIMASS® 3 - Outside loudspeakers SONY	•	•
Motorised glazed folding companionway door in cockpit floor - 2 Remote controls		•
Galley: Extractor hood		•
Galley: Freshwater / Seawater foot pump		•
Galley: Deluxe 3 burners hob, stainless steel oven and grill		•
Pump for deck washing		
Chart table: Universal recharging station (Cellphone, MP3, GPS, PDA, etc)		•
Inverter 2 000 W - 12 V / 220 V		•
Leather on central console - Chart table - Dressing table		•

OPTION PACK

	DOCKING	EASY DOCKING	ELECTRONIC RAYMARINE
Bow thruster		•	
2 Steering wheels + Console white PVC covers	•	•	
Windlass control in cockpit with chain counter to starboard	•	•	
4 Moorings, Anchoring, 6 Fenders	•	•	
Starboard steering console: Multifunction screen E90W colour RAYMA-RINE (GPS - Chart plotter - Chart plotter - Without chart - Cartography Europe included)			•
PC interface			•



Provisional General Equipment

OTHER OPTIONS

NAVIGATION ELECTRONICS RAYMARINE

- · Autopilot remote control, Wireless instruments repeater SmartController
- · High definition digital radar (radome only)
- Transmitter / Receiver AIS 650 + VHF RAY49E
- Multifunction touchscreen E90W Steering console To port
- Multifunction touchscreen E120W Chart table

RIGGING - SAIL

- · Flag halyards
- · Asymmetric spinnaker + Gennaker Rigging
- Inner forestay chainplate + Selftacking rail
- · Removable forestay
- · Electrpolished mast furling system with main sail
- · Code 0 on furler
- · Easy Sail for classical mast (Genoa traveller adjustment from cockpit, Clutches on genoa sheet blocks, Backstay adjustment)
- · Easy Sail for mast with in-mast furling (Genoa traveller adjustment from cockpit, Clutches on genoa sheet blocks)

HULL - DECK

- Electric genoa sheet winches H60.2STCEH
- Starboard electric coachroof winch H50.2STCEH
- · GRAPHITE coachroof sprayhood
- · GRAPHITE Cockpit Bimini
- · CHINE GREY / STRIPE GREY outside upholstery
- · Storm Grey hull
- · Metallic hull paint
- · Windex Windvane
- · Solid wood slatted catwalks
- · Arch on transom
- · Cradle Davits with solar panels + Wind generator

INTERIOR EQUIPMENT

- Water maker 60 l/h / 16 US Gal/hour 12 V/220 V
- Extra water tank (330 liter / 87 US Gal)
- 7 kVA 220 V / 50 Hz Generator
- 220V Microwave oven
- 220V Ice maker
- Washer dryer 220 V
- 220 V Dishwasher
- · Water system heating
- Chilled water air-conditioning unit 220V
- Deluxe folding saloon table on electric leg with up/down control
- Electrically-operated saloon window blinds
- Starboard wood cockpit table with electrical up/down system White PVC protective cover
- · Port cockpit table with foldaway seat
- · Double berth in saloon
- Safe
- · Carpet kit
- Additional holding tank 80 I / 21 US Gal
 Flacting to illet
- Electric toilet
- Additional diesel tank (415 I / 110 US Gal in the saloon)
- TV Antenna
- TV LED 22" folding + DVD and MP3 player in master cabin
- TV LED 32" folding + Player DVD-MP3-CD in the saloon

OTHER LAYOUT VERSIONS AVAILABLE

OCCASIONAL CABIN

- Port aft
- · Access through the cockpit locker Opened by gas cylinder
- 1 Single berth
- 1 Opening porthole
- · 1 hinged plexiglass panel in the cockpit side